

INDEX

- Acidaemia and alkalaemia in the diarrhoea and vomiting of infants, 581; causes of, 590; cases cited, 598.
- Acute eosinophilic leukaemia and eosinophilic erythro-leukaemia, 167, 168, 169; myeloid leukaemia with preponderance of eosinophil cells, 171; severe anaemia with eosinophilia, 171.
- Addison's disease and lack of adrenalin, 121, 132; suprarenal atrophy as a cause of, 128; thyroid and other glands often diseased in, 132.
- Adenoid goitre, percentage of, devoid of thyroxin, occurring in cases of Graves' disease when iodine treatment is excluded, 23; effect of iodine on incidence of, 25.
- Advance of medical science, Schick's reaction and the, 375.
- Age changes in the coronary circulation, 254; in relation to, in pregnant women, 385.
- Albuminuria, febrile, with special reference to pneumonia, 305; estimation of albumin in the urine, 305; pneumonic, 308.
- Alkalaemia and acid urines in cases of infantile diarrhoea and vomiting, 588; in congenital pyloric stenosis, 592.
- Alleged increase in primary carcinoma of lung, 430.
- American and British death-rates in pneumonia cases compared, 85.
- Amino-acids in health and disease, observations on the metabolism of, 477; fasting amino-acid, 478; fasting amino-nitrogen, 479; the amino-nitrogen curve, 481; post-absorptive values of amino-nitrogen, 481.
- Amino-nitrogen, post-absorptive values of, 481.
- Anaemia, dysphagia and, 43.
- Analysis of tracings obtained before treatment of Parkinsonian rigidity, 56.
- Antigenic stimuli, primary and secondary, 342.
- Arterial blood in cardiac dyspnoea, oxygen saturation of the, 1.
- Arterial carbon dioxide pressure, observations made in cases of heart failure with dyspnoea, 6, 16.
- Arteries, coronary, distribution of the, 248; variations in the ventricular distribution of the, 251.
- Artificial immunization, the Schick test and, 360; the rate of artificial active-immunization, 362.
- Atrophy of the cortex of the suprarenals, Addison's disease with, 121.
- Atropine, effect of, on the nocturnal fall in pulse-rate, 521.
- Auricular fibrillation, the causes of, 237; association of, with intoxications, 239; clinical records, 241; the quinidine treatment of, 281; paroxysmal, 294; established, 296; normal rhythm restored but not maintained, 300; normal rhythm not restored, 30.
- Blood and urinary chemistry, studies in, during pregnancy, 493.
- Blood changes in cases of dysphagia, 45.
- Blood chloride, study of, in a case of haemophilia, 66.
- Blood count in carcinoma of the lung, 424.
- Blood-pressure, pulse-rate, and response to exercise during normal pregnancy, an investigation of, 381; methods of selection and tests employed, 382; examination of control cases, 383; observations, 383.
- Blood-sugar curves during pregnancy and the puerperium, 493.
- Blood-urea, changes in normal subjects, 484; protein or amino-acids, effect of on, 490.
- Calcium administration, the treatment of experimental tuberculosis by, 451.
- Calculations of concentrations of CO₂ and Cl in haemophilic blood, 67.
- Carbon dioxide, comparison of conditions in curves constructed with arterial and venous blood, 3.
- Carcinoma of lung: London hospital statistics, 439; aetiology, 435; with intracranial metastases, 441; signs and symptoms of spinal cord lesion, 442; with acute onset, 443; oedema as prominent sign, 443; pain as presenting symptom, 443; early superficial metastases, 445; onset with aphonia, 445; with haemophyses, 445; dysphagia as

- early symptom, 446; simulating simple empyema, 446; simulating simple pleural effusion, 446; primary bronchiectasis, 446; aneurysm, 447; remissions and delayed diagnosis, 447.
- Cardiac dyspnoea, arterial carbon dioxide pressure in, 1; importance of blood supplied to respiratory centre in considering cause of, 1.
- Cardio-vascular and renal disease, 485.
- Cases of leukaemia showing a polycythemic stage, 184.
- Cerebro-spinal fluid, chloride content of, in cases of diarrhoea and vomiting, 597.
- Chromaffin cells in Addison's disease with suparenal tuberculosis, 135.
- Chronic invalidism, a review of visceroprosis and allied abdominal conditions associated with, 611; appendicitis, 631; membranes, bands, &c., 633; mobile caecum, 635.
- Circulation, study of the, during the course of normal pregnancy, 381.
- Climacteric, relationship of, to the onset of Graves' disease, 229.
- Clinical diphtheria, the Schick reaction and, 347.
- Collection and examination of sputum in pneumonia cases, methods employed in the, 77.
- Complications in cases of primary lobar pneumonia, 85.
- Congenital Schick immunity, 351; pyloric stenosis, alkalaemia with excretion of acid urine in, 592.
- Coronary system, stereoscopic radiography of the, 247; atria, blood supply to the, 250; circulation, age changes in, 254; morbid anatomy of the coronary circulation, 255; occlusion, 256.
- Cortex and medulla, relative importance of, in Addison's disease, 137.
- Cortical hypernephroma, two cases of, 557; pathological report, 558, 562: discussion, 562.
- Creatine, effect of the thyroid upon the excretion of, 155: in Parkinsonian rigidity, 157; on excretion of other nitrogenous substances, 158.
- Creatinuria as a sequel to fractures of bones, 153, 154, 159.
- Death-rate in pneumonia, the, in relation to age, 86.
- 'Delayed' Schick reaction, the, 325.
- Dental caries, incidence of, in relation to state of tonsils, 113.
- Determinations of distribution of electrolytes in haemophilic blood, 70.
- Diabetes in a pregnant woman, improvement of, due to foetal insulin, 191; calorific value of diet, 198; detailed metabolic studies, 195; history of case and course of pregnancy, 191; improvement in tolerance and relapse after labour, 197; ketosis and the fatty acid/glucose ratio, 198; lowered renal threshold, 199.
- Diabetes mellitus, amino-nitrogen in, 486; urea formation in, 486; amino-acid in, 490; blood-urea in, 490.
- Diarrhoea and vomiting of infants, acid-aemia and alkalaemia in the, 581.
- Diastolic pressure, normal distribution of, in 'welfare mothers', 387; in pregnant women, 388.
- Diet, unnatural, of civilized man as cause of visceroprosis, 629.
- Differential diagnosis in cases of dysphagia, 45.
- Diphtheria antitoxin, reliability of Schick test as an indicator of, in blood, 330.
- Distribution of electrolytes in haemophilic blood, methods of determining, 66.
- Dosage and toxic effects of stramonium in cases of Parkinsonian rigidity, 60.
- Dysphagia not generally recognized as a sign of anaemia, 43.
- Dyspnoea, cardiac, arterial carbon dioxide pressure in, 1.
- Effect of drugs in cases of Parkinsonian rigidity, 57.
- Electrolyte distribution between cells and serum in haemophilic blood, mechanism governing the, 69.
- Encephalitis lethargica, Parkinsonian rigidity in connexion with, 51.
- Eosinophilic (polymorphonuclear) leukaemia, 172; erythro-leukaemia, 178.
- Erythrocytes, method of numerical comparison of sedimentation-rates, 146.
- Events of pregnancy and the puerperium, relationship of, to the onset of Graves' disease, 227.
- Evidence, drawn from a study of the therapeutics of Graves' disease, of two functions in the thyroid physiology, 21.
- Exercise, after-effects of, immediate and remote, 470.
- Exercise response, correlation of, with body weight in pregnant women, 393.
- Existe-t-il une leucémie à éosinophiles? 178.
- Experimental tuberculosis, the treatment of, by calcium administration, 451.
- Febrile albuminuria, with special reference to pneumonia, 305; estimation of albumin in urine, 305.

- Foetal insulin, improvement of diabetes in a pregnant woman due to, 191.
- Fractional test-meal, clinical application of total chloride estimations in the, 83; curves of free HCl and total acidity plotted for, 83; categories into which cases fall, 85.
- Function of the tonsils, ignorance in regard to, 117.
- Further notes on the sedimentation-rate of erythrocytes, 145; cases investigated in attempt to elucidate causation, 145; laevulose tolerance tests, 147; specific gravity and viscosity, 147, 148, 149.
- General health, question of association of tonsillar hypertrophy with, 114.
- Genetic factor in Schick immunity, the, 372.
- Glenard's enteroptosis theory, a brief outline of, 618.
- Glycine, variations in amino-nitrogen content of blood after different doses of, 480, 481; in blood-urea, 482, 483, 484; in diabetes mellitus, 486.
- Glycosuria, incidence of, in pregnant and non-pregnant women, 498, 499, 500; non-glycosuric cases, 495; symptomless glycosuria, 496.
- Graves' disease, evidence of two functions in the thyroid physiology drawn from a study of therapeutics of, 21; relationship of puberty to onset of, 224; events of pregnancy and the puerperium, relationship of, to onset of, 227.
- Haemoglobin, altered metabolic products of, 507.
- Haemophilic blood, a determination of CO₂ absorption curves in, 65; distribution of electrolytes in, 65.
- Heart-rate, normal variation in, 519; explanation of, 520; value of, 522; effect of pyrexia on, 523.
- Hilum lymph nodes, radiographic appearances of pathological changes in the, 536.
- Historical outline of the problem of visceroptosis and the allied abdominal conditions before Glenard, 614.
- Human haemoglobin, light absorption, iron content, and gas-absorbing power of, 507, 513.
- Hyosine and stramonium, comparison of therapeutic effects of, on Parkinsonian rigidity, 59.
- Immunity of positive Schick reactors, the, 344.
- Important features in cases of pneumonia, 76.
- Incidence and carrier rate of pneumonia in Manchester, the, 89.
- Incidence of malignant disease in cases of dysphagia, 48.
- Infantile atrophy, the treatment of certain forms of, with mixed atmospheres enriched by oxygen and carbon dioxide, 269.
- Insulin, foetal, improvement of diabetes in a pregnant woman due to, 191; carbohydrate tolerance and, 197.
- Interference with blood-supply of the neuromuscular tissue, 263.
- Interventricular and interatrial septa, the blood-vessels of the, with special reference to the supply of the neuromuscular tissue, 252.
- Intoxication of Graves' disease associated with disturbance of the secretory function of thyroid gland, 29.
- Intoxications, auricular fibrillation associated with, 239, 240.
- Intraglobular sulphaemoglobinaemia in animals, occurrence of a spontaneous, 510.
- Iodine treatment in cases of Graves' disease, 25.
- Iodo-colloid and secretion, confused in the effort to explain Graves' disease as a hyperthyroidism or a dysthyroidism, 21.
- Ketosis and the fatty acid/glucose ratio before and during pregnancy, 198.
- Kidneys, familial polycystic disease of the, 567; in four generations of a family, 567; remarkable absence of symptoms in individuals in cases cited, 569-573.
- Lactic acid acidosis, the danger of administering sodium bicarbonate in, 592; cases cited, 598, 601.
- Lane's theory of the development of visceroptosis, 629; American theories, 630; synthetic theories, 636.
- Latent immunization, 352; the mechanism of, 355; the rate of natural, 356.
- Latent tuberculous lesions in the lungs as determined by roentgenological and pathological investigations, 531; description of, according to site, 531, 547; importance of recognition of, during life, 532, 543; method of investigating 532; importance of aeration when taking radiograms of, 534; significance of presence of, 543.
- Latitude and race in connexion with Schick immunity, 368.

- Liver disease, urea formation in, 484; amino-nitrogen in, 490.
- Lobar pneumonia, results of the investigation of cases of primary, 79; comparison with other statistics, 83.
- Lung, primary carcinoma of the, 413; pathology, 418; metastases, 415; pathological complications of, 416; signs and symptoms of, 417; statistics of main symptoms and signs, 417; physical signs in chest, 421; accessory methods of examination, 422; value of radiological examination in diagnosis, 422; pleural effusions, 423; blood count in, 424; treatment, 430; alleged increase in, 430; aetiology of, 435; tuberculosis and cancer of, 439; syphilis and, 443.
- Manchester, incidence and carrier rate of pneumonia in, 89.
- Mechanical theories of visceroptosis, a criticism of the, 638; physiological theories, 642.
- Metabolism of creatine, the, directly or indirectly influenced by thyroid gland, 153, 154, 155.
- Methods of ascertaining arterial carbon dioxide pressure, 3.
- Morbid anatomy of the coronary circulation, 255.
- Motor mechanism of stomach, utilization of X-rays to investigate, 622, 631, 640.
- Muscular exercise, some clinical aspects of, 461; assessment of physical fitness, 461; certain phenomena associated with training and exercise, 463; the body-weight in training, 465.
- Necessity of selecting material with great care in studying Graves' disease from any point of view; reasons for, 22.
- Negative Schick reaction as an indicator of immunity to clinical diphtheria, reliability of, 334.
- Nephritic cases with oedema, 93; without oedema, 95, 98.
- Nephritis, lymph formation in, 91.
- Nervous children, instability of heart-rate in, 522.
- Neuromuscular tissue, blood-supply of the, 253; interference with blood-supply of the, 263.
- Normal women, range of blood-pressure in, 386.
- Observations of the pulse-rate in pregnant women: lying, sitting, and standing, 391, 392.
- Ordinary diet, incidence of symptomless glycosuria on, 500.
- Osmotic pressure of blood proteins in nephritis, method of ascertaining, 92.
- Overgrowth of adenoids, liability of, to follow tonsillectomy, 114.
- Parkinsonian rigidity, a clinical and instrumental study of the effect of stramonium, hyosine and other alkaloids, 51; in connexion with encephalitis lethargica, 51.
- Passive immunity, the Schick reaction and, 349.
- Peripheral focal tuberculous lesions, significance of, 541, 545.
- Persistence of Schick negative reaction, the, 338.
- Persistent eosinophilia with hyperleucocytosis and splenomegaly, 172, 174.
- Physiological theories of visceroptosis, 642.
- Pneumonia, combined clinical and bacteriological investigation of a series of cases of, 73; incidence and carrier rate of, in Manchester, 89.
- Pneumonoconiosis and mining operations, 437.
- Polycystic disease of kidneys, evidence during life of, 567.
- Polynuclear (Cooke) and Schilling leucocyte counts, significance of, 405; method of classifying, 406; comparison of charts, 409, 410.
- Positive Schick reactors, the immunity of, 342.
- Post-absorptive values of amino-nitrogen, 481.
- Post-natal observations of blood-pressures of normal women after confinement, 402.
- Posture and period of pregnancy, blood-pressure in relation to, 386.
- Present position in regard to pneumonia, 73.
- Primary carcinoma of lung, is increased incidence apparent or real? 435.
- Primary Graves' disease, an aetiological study of, with special reference to the sex events of the female, 217; classification, age, and sex incidence, 221; extrinsic exciting factors, 222, 223; relationship of puberty to onset of Graves' disease, 224; of the climacteric to, 229.
- Probable causes of dysphagia, 47.
- Protein or amino-acids, effect of, on blood-urea, 490; increase of blood-urea in healthy subjects after, 490.
- Protein requirements and nitrogenous balance before and during pregnancy, 197.
- Pseudo-Schick or protein reaction, the,

- 325; pseudo- and positive, or combined, 325.
- Puberty, relationship of, to the onset of Graves' disease, 224.
- Pulse-pressure, correlation of, with number of weeks of pregnancy, 385.
- Pulse-rate and range in health and disease during childhood, the, 519.
- Pulse-rates before and after exercise related to period of pregnancy, 393.
- Pyloric stenosis, the value of sodium administration in, 597.
- Pyrexia, effect of, on normal variation of pulse-rate, 523, 529.
- Quinidine treatment, the, of auricular fibrillation, 281; selection of cases, 282; the ill-effects of quinidine, 290.
- Radiograms of thorax taken after death, lesions seen in, 533, 537, 539.
- Reduction of plasma bicarbonate and chloride in acidosis, 596.
- Relationship of Graves' disease to iodine metabolism, question of the, 29; of puberty to onset of Graves' disease, 224; of events of pregnancy and the puerperium, 227.
- Reliability of Schick test as an indicator of the presence of diphtheria antitoxin in the blood, 330.
- Renal function, a new test of, 203; advantages and disadvantages of the new method, 207; an example of the test, 208; results described, 209; technique of the test, 206.
- Renal leaks, incidence of, after glucose, in normal, non-glycosuric, pregnant women, 501.
- Rheumatic carditis, heart-rate in, 524, 528.
- Roentgenograms, pathological changes in lungs exhibited in, 535, 540; lesions most frequently recognized in, 541.
- Röntgen rays in connexion with the study of visceroptosis, 621.
- Schick reaction, the, in diphtheria carriers, 349.
- Schick's test and its applications: critical review, 321; summary of the technique and the reading of the tests, 330; subsequent prophylactic inoculations against diphtheria, 336.
- Sedimentation-rate of erythrocytes, further notes on the, 145.
- Severity of infection in cases of pneumonia, considerable periodic variation in the, 76.
- Sex and age incidence in cases of dysphagia, 43.
- Sex and Schick immunity, 363.
- Specific oxygen capacity of the blood-colouring matter in pathological conditions, the, 507; secondary anaemias and haemolytic anaemias, comparison of, 511, 516; malarial fever, deficiency of S.O.C. in, 511, 514, 516.
- Spleen, enlargement of, in cases of dysphagia, 45.
- Splenomegaly with polymorphonuclear neutrophil hyperleucocytosis, 173; hyperleucocytosis, 174.
- Stramonium, hyoscine, and other alkaloids, apparatus and methods of recording results in instrumental study of effects of, in cases of Parkinsonian rigidity, 53, 55.
- Study of tuberculosis in families, result of the, 543.
- Suprarenal atrophy due to chronic inflammation, tuberculous origin of, 130; suprarenal virilism—cortical hypernephroma—report on two cases of, 557; pathological report, 558, 562; discussion, 562.
- Symptoms in cases of dysphagia, 44; endoscopic appearance described, 44.
- Syphilis and alcohol as causative factors, exclusion of, in cases of dysphagia, 43.
- Syphilis and carcinoma of the lung, 440.
- Systolic pressure, normal distribution of the, in 'welfare' mothers and in pregnant women, 387.
- Therapeutic effects of stramonium and its individual alkaloids, comparisons of the, 62.
- Tonsil-adenoid operation, the, and some of its results, 107, significance of asymmetry of tonsils, 109; associated maladies, 110; local associated conditions, 111; general associated conditions, 114; functions of the tonsils, 117.
- Tonsils, state of, relationship of, to various states of health, 107; compared with enlargement of anterior cervical glands, 111; maladies associated with, 110.
- Total chloride estimations in the fractional test-meal, the clinical application of; with an analysis of a series in fifty normal children, 33.
- Tracheobronchial lymph nodes, tuberculosis of, 541, 545.
- Tuberculosis and cancer of the lung, 439.
- Tuberculous infection, frequency of, in negro and white races, 543.
- Unusual eosinophilia with splenomegaly, 175.
- Urea formation in liver disease, 484.

- Values for the pH of plasma determined by calorimetric method compared with those obtained electrometrically in normal subjects, 4.
- Variations of arterial carbon dioxide pressure, difficulty of deciding upon, 5 ; of free hydrochloric acid and total chloride in the upper and lower parts of the stomach, 575.
- Varieties and types of pneumonia, difficulties of nomenclature in connexion with, 75.
- Ventricular distribution of the coronary arteries, variations in the, 251.
- Views in regard to functions of tonsils, 115.
- Virilism, suprarenal — cortical hypernephroma—report on two cases of, 557.
- Visceroptosis and allied abdominal conditions associated with chronic invalidism, a review of, 611.
- Weight and height, blood-pressure in relation to, 386.

